WEST Search History

DATE: Saturday, May 18, 2002

Set Name side by side	Query	Hit Count	Set Name result set
DB=JPAB,EPAB,DWPI; PLUR=YES; OP=ADJ			
L22	l18 and l19	0	L22
L21	l17 and l19	7	L21
L20	l17 and l18	1	L20
L19	'cys cys gly'	19	L19
L18	marmoreus	7	L18
L17	conotoxin	91	L17
DB=PGPB; PLUR=YES; OP=ADJ			
L16	'cys cys gly'	0	L16
L15	marmoreus	1	L15
L14	conotoxin	19	L14
DB=USPT; PLUR=YES; OP=ADJ			
L13	l9 and l11	0	L13
L12	l8 and l11	16	L12
L11	'cys cys gly'	286	L11
L10	l9 same l8	3	L10
L9	marmoreus	13	L9
L8	conotoxin	232	L8
DB=TDBD; PLUR=YES; OP=ADJ			
L7	conotoxin	0	L7
DB=JPAB,EPAB,DWPI; PLUR=YES; OP=ADJ			
L6	$50gvccg$2lch$1c	1	L6
L5	'gly val cys cys gly'	0	L5
DB=PGPB; PLUR=YES; OP=ADJ			
L4	'gly val cys cys gly'	0	L4
L3	$50gvccg$2lch$1c	0	L3
DB=USPT; PLUR=YES; OP=ADJ			
L2	'gly val cys cys gly'	0	L2
L1	$50gvccg$2lch$1c	0	L1

END OF SEARCH HISTORY

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptau184gqb

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS 1		Web Page URLs for STN Seminar Schedule - N. America
NEWS 2	Jan 25	BLAST(R) searching in REGISTRY available in STN on the Web
NEWS 3	Jan 29	FSTA has been reloaded and moves to weekly updates
NEWS 4	Feb 01	DKILIT now produced by FIZ Karlsruhe and has a new update frequency
NEWS 5	Feb 19	Access via Tymnet and SprintNet Eliminated Effective 3/31/02
NEWS 6	Mar 08	Gene Names now available in BIOSIS
NEWS 7	Mar 22	TOXLIT no longer available
NEWS 8	Mar 22	TRCTHERMO no longer available
NEWS 9	Mar 28	US Provisional Priorities searched with P in CA/CAplus and USPATFULL
NEWS 10	Mar 28	LIPINSKI/CALC added for property searching in REGISTRY
NEWS 11	Apr 02	PAPERCHEM no longer available on STN. Use PAPERCHEM2 instead.
NEWS 12	Apr 08	"Ask CAS" for self-help around the clock
NEWS 13	Apr 09	BEILSTEIN: Reload and Implementation of a New Subject Area
NEWS 14	Apr 09	ZDB will be removed from STN
NEWS 15	Apr 19	US Patent Applications available in IFICDB, IFIPAT, and IFIUDB
NEWS 16	Apr 22	Records from IP.com available in CAPLUS, HCAPLUS, and ZCAPLUS
NEWS 17	Apr 22	BIOSIS Gene Names now available in TOXCENTER
NEWS 18	Apr 22	Federal Research in Progress (FEDRIP) now available

NEWS EXPRESS	February 1 CURRENT WINDOWS VERSION IS V6.0d, CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP), AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002
NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS INTER	General Internet Information
NEWS LOGIN	Welcome Banner and News Items
NEWS PHONE	Direct Dial and Telecommunication Network Access to STN
NEWS WWW	CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 09:30:42 ON 18 MAY 2002

=> file registry
COST IN U.S. DOLLARS

	SINCE FILE ENTRY	TOTAL SESSION

FULL ESTIMATED COST 0.21 0.21

FILE 'REGISTRY' ENTERED AT 09:30:55 ON 18 MAY 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 15 MAY 2002 HIGHEST RN 416838-75-0
DICTIONARY FILE UPDATES: 15 MAY 2002 HIGHEST RN 416838-75-0

TSCA INFORMATION NOW CURRENT THROUGH July 7, 2001

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Calculated physical property data is now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details:
http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf

=> s ccg...c..c/sqsp
L1 199 CCG...C..C/SQSP

=> s gvccg..lch.c/sqsp
L2 14 GVCCG..LCH.C/SQSP

=> file ca
COST IN U.S. DOLLARS SINCE FILE ENTRY TOTAL SESSION
FULL ESTIMATED COST 54.14 54.35

FILE 'CA' ENTERED AT 09:32:48 ON 18 MAY 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 9 May 2002 VOL 136 ISS 20
FILE LAST UPDATED: 9 May 2002 (20020509/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

CAS roles have been modified effective December 16, 2001. Please check your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLES at an arrow prompt or use the CAS Roles thesaurus (/RL field) in this file.

=> s l1
L3 108 L1

=> s l2

L4 5 L2

=> d l4 ti py

L4 ANSWER 1 OF 5 CA COPYRIGHT 2002 ACS
TI Two new classes of conopeptides inhibit the .alpha.1-adrenoceptor and noradrenaline transporter
PY 2001

=> d l4 2-5 ti py

L4 ANSWER 2 OF 5 CA COPYRIGHT 2002 ACS
TI .lambda.-Conotoxins, a new family of conotoxins with unique disulfide pattern and protein folding: isolation and characterization from the venom of Conus marmoreus
PY 2000

L4 ANSWER 3 OF 5 CA COPYRIGHT 2002 ACS
TI Isolation and characterization of a novel Conus peptide with apparent antinociceptive activity
PY 2000

L4 ANSWER 4 OF 5 CA COPYRIGHT 2002 ACS
TI Conotoxin peptides and their use as analgesics
PY 2000

L4 ANSWER 5 OF 5 CA COPYRIGHT 2002 ACS
TI Recombinant .chi.-conotoxin peptides for inhibiting neuronal amine transporters
PY 2000
2000
2001

=> s l3 not l4
L5 103 L3 NOT L4

=> d ti py 1-103

L5 ANSWER 1 OF 103 CA COPYRIGHT 2002 ACS
TI P2P protein, cDNA, antibodies and antisense oligonucleotides for determination of proliferative potential of normal, abnormal, and cancer cells in animals and humans
PY 2002
2002

L5 ANSWER 2 OF 103 CA COPYRIGHT 2002 ACS
TI Protein, gene and cDNA sequences of human phospholipase sequence homolog and diagnostic and therapeutic uses thereof
PY 2002
2002

L5 ANSWER 3 OF 103 CA COPYRIGHT 2002 ACS
TI Protein, gene and cDNA sequences of human protein kinase sequence homolog and diagnostic and therapeutic uses thereof
PY 2002
2002
2002

L5 ANSWER 4 OF 103 CA COPYRIGHT 2002 ACS
TI Cloning, sequencing and mutagenesis of the genes for aromatic amine dehydrogenase from Alcaligenes faecalis and evolution of amine dehydrogenases

PY 2001

L5 ANSWER 5 OF 103 CA COPYRIGHT 2002 ACS
TI Sequence analysis of the Spodoptera litura multicapsid nucleopolyhedrovirus genome
PY 2001

L5 ANSWER 6 OF 103 CA COPYRIGHT 2002 ACS
TI Complete genome sequence of the shrimp white spot bacilliform virus
PY 2001

L5 ANSWER 7 OF 103 CA COPYRIGHT 2002 ACS
TI Protein and cDNA sequences of novel human protein NOV and use in diagnosis and disease treatment
PY 2002

L5 ANSWER 8 OF 103 CA COPYRIGHT 2002 ACS
TI The White Spot Syndrome Virus DNA Genome Sequence
PY 2001

L5 ANSWER 9 OF 103 CA COPYRIGHT 2002 ACS
TI Cloning, heterologous expression and purification of an isocitrate lyase from Streptomyces clavuligerus NRRL 3585
PY 2001

L5 ANSWER 10 OF 103 CA COPYRIGHT 2002 ACS
TI Fatty acid elongases identified by sequence homology and cDNAs encoding them and their pharmaceutical, nutritional and cosmetic uses
PY 2002

L5 ANSWER 11 OF 103 CA COPYRIGHT 2002 ACS
TI Complete genome sequence of Clostridium perfringens, an anaerobic flesh-eater
PY 2002

L5 ANSWER 12 OF 103 CA COPYRIGHT 2002 ACS
TI Hirudin-TAP fusion proteins, their preparation with recombinant cells, and their use in pharmaceuticals
PY 2002
2002

L5 ANSWER 13 OF 103 CA COPYRIGHT 2002 ACS
TI B7-like molecules from human and mouse, protein and cDNA sequences and uses of antibodies in therapy
PY 2002

L5 ANSWER 14 OF 103 CA COPYRIGHT 2002 ACS
TI Human nucleic acid and encoded protein compositions and methods for the diagnosis and treatment of disorders involving angiogenesis
PY 2002
2001
2001
2001
2001
2001
2001
2002
2001
2002
2001
2001
2002
2002
2002

L5 ANSWER 15 OF 103 CA COPYRIGHT 2002 ACS
TI Human proteins and nucleic acids encoding them
PY 2001

L5 ANSWER 16 OF 103 CA COPYRIGHT 2002 ACS
TI Modulation of gene expression in the vascular endothelium using effectors of the Erg gene or gene product
PY 2001

L5 ANSWER 17 OF 103 CA COPYRIGHT 2002 ACS
TI Molecules that modulate ubiquitin-dependent proteolysis and methods for identifying same
PY 2001

L5 ANSWER 18 OF 103 CA COPYRIGHT 2002 ACS
TI Fc-domain-modified peptides as therapeutic agents
PY 2001

L5 ANSWER 19 OF 103 CA COPYRIGHT 2002 ACS
TI Propionibacterium acnes nucleic acids and proteins useful for therapy and diagnosis of acne vulgaris
PY 2001
2002
2001
2001
2001
2001
2001

L5 ANSWER 20 OF 103 CA COPYRIGHT 2002 ACS
TI Human G protein-coupled receptor-like MOLX proteins and the nucleic acids that encode them
PY 2001

L5 ANSWER 21 OF 103 CA COPYRIGHT 2002 ACS
TI Methods and compositions for the prevention and treatment of anemia with hyperglycosylated analogs of erythropoietin
PY 2001

L5 ANSWER 22 OF 103 CA COPYRIGHT 2002 ACS
TI Cloning, sequencing and regulation of human 1-aminocyclopropane-carboxylate (ACPC) synthase
PY 2001

L5 ANSWER 23 OF 103 CA COPYRIGHT 2002 ACS
TI Human ion channels and use in identifying compounds useful for treatment of mental disorders
PY 2001

L5 ANSWER 24 OF 103 CA COPYRIGHT 2002 ACS
TI Chicken type monoclonal antibody
PY 2001

L5 ANSWER 25 OF 103 CA COPYRIGHT 2002 ACS
TI The 103P2D6 gene overexpressed in a number of cancers and the gene product with diagnostic and therapeutic uses
PY 2001
2002

L5 ANSWER 26 OF 103 CA COPYRIGHT 2002 ACS
TI Mechanisms for evolving hypervariability: the case of conopeptides
PY 2001

L5 ANSWER 27 OF 103 CA COPYRIGHT 2002 ACS
TI A long QT syndrome gene KVLQT1 from human and Xenopus and mutations in human KVLQT1 gene
PY 2001
2000
2000
2000
2001

L5 ANSWER 28 OF 103 CA COPYRIGHT 2002 ACS
TI Mutations in two long QT syndrome-associated human genes, KVLQT1 gene encoding potassium ion channel .alpha. subunit and KCNE1 gene encoding human minK which cause arrhythmia susceptibility
PY 2001
2000
2000
2001
2001

L5 ANSWER 29 OF 103 CA COPYRIGHT 2002 ACS
TI Nucleic acids and their encoded polypeptides from human tissues
PY 2001
2001

L5 ANSWER 30 OF 103 CA COPYRIGHT 2002 ACS
TI Genome sequence and comparative analysis of the solvent-producing bacterium Clostridium acetobutylicum
PY 2001

L5 ANSWER 31 OF 103 CA COPYRIGHT 2002 ACS
TI Proteins comprising conserved regions of Neisseria meningitidis surface antigen NhhA
PY 2001

L5 ANSWER 32 OF 103 CA COPYRIGHT 2002 ACS
TI Human nucleic acids and polypeptides
PY 2001
2001

L5 ANSWER 33 OF 103 CA COPYRIGHT 2002 ACS
TI Disulfide bond pattern of a .lambda.-conotoxin, a novel toxin from Conus Marmoreus
PY 2001

L5 ANSWER 34 OF 103 CA COPYRIGHT 2002 ACS
TI Primary nucleotide sequence of the shrimp white spot bacilliform virus, discovery systems containing this sequence and detection kits and antiviral targets for detection and controlling shrimp virus outbreak and spread
PY 2001
2001

L5 ANSWER 35 OF 103 CA COPYRIGHT 2002 ACS
TI Characteristics of the transactivator gene ie1 of Spodoptera exigua multiple nucleopolyhedrovirus
PY 2000

L5 ANSWER 36 OF 103 CA COPYRIGHT 2002 ACS
TI Persephin and related growth factors
PY 2001
1997

L5 ANSWER 37 OF 103 CA COPYRIGHT 2002 ACS
TI Tumor suppressor gene and protein EPLIN (epithelial protein lost in

neoplasm) and their uses
PY 2001

L5 ANSWER 38 OF 103 CA COPYRIGHT 2002 ACS
TI Functional annotation of a full-length mouse cDNA collection
PY 2001

L5 ANSWER 39 OF 103 CA COPYRIGHT 2002 ACS
TI Functional annotation of a full-length mouse cDNA collection
PY 2001

L5 ANSWER 40 OF 103 CA COPYRIGHT 2002 ACS
TI A Drosophila animal model of polyglutamine toxicity and use for identifying genes or other compounds that modulate tissue degeneration and cell survival
PY 2001

L5 ANSWER 41 OF 103 CA COPYRIGHT 2002 ACS
TI Functional annotation of a full-length mouse cDNA collection
PY 2001

L5 ANSWER 42 OF 103 CA COPYRIGHT 2002 ACS
TI Functional annotation of a full-length mouse cDNA collection
PY 2001

L5 ANSWER 43 OF 103 CA COPYRIGHT 2002 ACS
TI Selectable markers for transformation ofspergillus sojae and the construction of expression hosts
PY 2001
2002

L5 ANSWER 44 OF 103 CA COPYRIGHT 2002 ACS
TI Sequence and analysis of chromosome 1 of the plant Arabidopsis thaliana
PY 2000

L5 ANSWER 45 OF 103 CA COPYRIGHT 2002 ACS
TI The sequence of the Helicoverpa armigera single nucleocapsid nucleopolyhedrovirus genome
PY 2001

L5 ANSWER 46 OF 103 CA COPYRIGHT 2002 ACS
TI Parasite antigens
PY 2000
2002
2002
2001

L5 ANSWER 47 OF 103 CA COPYRIGHT 2002 ACS
TI Sterol glycoside synthases and the genes encoding them and their use in altering levels of sterol glycosides in host cells
PY 2000
2000

L5 ANSWER 48 OF 103 CA COPYRIGHT 2002 ACS
TI Cloning, characterization and therapeutic use of a human tankyrase II
PY 2000

L5 ANSWER 49 OF 103 CA COPYRIGHT 2002 ACS
TI Galectin-3 expression is induced in cirrhotic liver and hepatocellular carcinoma
PY 2000

L5 ANSWER 50 OF 103 CA COPYRIGHT 2002 ACS
TI Barley genes for thioredoxin h and NADP:thioredoxin reductase and their

uses
PY 2000
2001
2002

L5 ANSWER 51 OF 103 CA COPYRIGHT 2002 ACS
TI Production of syringyl lignin in gymnosperms by transformation with angiosperm lignin biosynthesis enzyme genes
PY 2000
2000

L5 ANSWER 52 OF 103 CA COPYRIGHT 2002 ACS
TI Human cancer-associated gene sequences and polypeptides
PY 2000
2001
2002

L5 ANSWER 53 OF 103 CA COPYRIGHT 2002 ACS
TI Human tumor-associated antigen 9D7 and cDNA and tumor diagnosis and therapy
PY 2000
2000
2001

L5 ANSWER 54 OF 103 CA COPYRIGHT 2002 ACS
TI Ligand-gated ion channel GLR4 from Arabidopsis thaliana and methods of regulating plant metabolism
PY 2000
2001
2000
2001

L5 ANSWER 55 OF 103 CA COPYRIGHT 2002 ACS
TI Compositions, kits, and methods relating to the human FEZ1 gene, a novel tumor suppressor gene
PY 2000
2000
2001

L5 ANSWER 56 OF 103 CA COPYRIGHT 2002 ACS
TI Human apoptosis inhibiter protein aip-1 with caspase-8 binding activity, but without death effector domain
PY 2000

L5 ANSWER 57 OF 103 CA COPYRIGHT 2002 ACS
TI Expression of four genes of bacteriophage MB78 from contiguous open reading frames: the genomic organization as deduced by sequence analysis
PY 2000

L5 ANSWER 58 OF 103 CA COPYRIGHT 2002 ACS
TI Class II cytokine receptor-like proteins and nucleic acids encoding them
PY 2000
2001

L5 ANSWER 59 OF 103 CA COPYRIGHT 2002 ACS
TI Multi-functional chimeric hematopoietic receptor agonists
PY 2000
1997
1997

L5 ANSWER 60 OF 103 CA COPYRIGHT 2002 ACS
TI The DNA sequence of human chromosome 21
PY 2000

L5 ANSWER 61 OF 103 CA COPYRIGHT 2002 ACS
TI The genome sequence of Drosophila melanogaster
PY 2000

L5 ANSWER 62 OF 103 CA COPYRIGHT 2002 ACS
TI The genome sequence of Drosophila melanogaster
PY 2000

L5 ANSWER 63 OF 103 CA COPYRIGHT 2002 ACS
TI The genome sequence of Drosophila melanogaster
PY 2000

L5 ANSWER 64 OF 103 CA COPYRIGHT 2002 ACS
TI Genetic analysis of Porphyromonas gingivalis fimbria-deficient mutant: involvement of a two-component signal transduction system for fimbriation
PY 1999

L5 ANSWER 65 OF 103 CA COPYRIGHT 2002 ACS
TI Secondary structure analysis of a minimal avian leukosis-sarcoma virus packaging signal
PY 2000

L5 ANSWER 66 OF 103 CA COPYRIGHT 2002 ACS
TI Nucleic acids encoding human membrane-bound proteins and receptors
PY 2000
2001
2000
2001
2001
2000
2000
2001
2000
2001
2000
2000
2000
2001
2001
2002
2000
2000
2001
2001
2000
2001
2000
2001
2000
2002
2000
2001
2002
2000
2001
2001
2001
2001

L5 ANSWER 67 OF 103 CA COPYRIGHT 2002 ACS
TI Analysis of genes involved in nitrate reduction in Clostridium perfringens
PY 1999

L5 ANSWER 68 OF 103 CA COPYRIGHT 2002 ACS

TI Human genes regulated by p53 and their products with potential therapeutic use
PY 2000
2000

L5 ANSWER 69 OF 103 CA COPYRIGHT 2002 ACS
TI Protein and cDNA sequences encoding YAP (Yes-associated protein) which binds to the SH3 domain of Yes kinase
PY 2000
2000
1996

L5 ANSWER 70 OF 103 CA COPYRIGHT 2002 ACS
TI Identification of human RNA-associated proteins and cloning of cDNAs encoding them
PY 2000
2000
2000
2001

L5 ANSWER 71 OF 103 CA COPYRIGHT 2002 ACS
TI Human apoptosis regulatory protein usurpin, cDNA, and method for identifying inhibitors of usurpin-pro-caspase-8 interaction
PY 2000
2001

L5 ANSWER 72 OF 103 CA COPYRIGHT 2002 ACS
TI Sequence and organization of the Spodoptera exigua multicapsid nucleopolyhedrovirus genome
PY 1999

L5 ANSWER 73 OF 103 CA COPYRIGHT 2002 ACS
TI Sequence and analysis of chromosome 4 of the plant Arabidopsis thaliana
PY 1999

L5 ANSWER 74 OF 103 CA COPYRIGHT 2002 ACS
TI Sequence and analysis of chromosome 2 of the plant Arabidopsis thaliana
PY 1999

L5 ANSWER 75 OF 103 CA COPYRIGHT 2002 ACS
TI Cloning, expression, sequence and possible therapeutic use of human carbonic anhydrase VIII
PY 1999

L5 ANSWER 76 OF 103 CA COPYRIGHT 2002 ACS
TI Fusion proteins of Mycobacterium tuberculosis antigens containing domains from more than one Mycobacterium protein and their uses
PY 1999
2000
2002
1999
1999
2001
2001
2000

L5 ANSWER 77 OF 103 CA COPYRIGHT 2002 ACS
TI Control of floral induction in plants with maize Id gene and methods for identification of zinc-finger proteins and producing alternative alleles
PY 1999
1999
1996
1996
1997

1998
1999
2001
1999
1999
2001

L5 ANSWER 78 OF 103 CA COPYRIGHT 2002 ACS
TI Transgenic mouse model carrying a disrupted gp130-encoding gene for human diseases
PY 1999
1999

L5 ANSWER 79 OF 103 CA COPYRIGHT 2002 ACS
TI Erythropoietin mutants with altered biological activity
PY 1999
2000
1999

L5 ANSWER 80 OF 103 CA COPYRIGHT 2002 ACS
TI Cloning and functional expression of UGT genes encoding sterol glucosyltransferases from Saccharomyces cerevisiae, Candida albicans, Pichia pastoris, and Dictyostelium discoideum
PY 1999

L5 ANSWER 81 OF 103 CA COPYRIGHT 2002 ACS
TI Evidence for an ancient chromosomal duplication in Arabidopsis thaliana by sequencing and analyzing a 400-kb contig at the APETALA2 locus on chromosome 4
PY 1999

L5 ANSWER 82 OF 103 CA COPYRIGHT 2002 ACS
TI Characterization and cDNA sequence for CtIP, a novel human protein that interacts with CtBP
PY 1999
1999

L5 ANSWER 83 OF 103 CA COPYRIGHT 2002 ACS
TI Secreted proteins from human cDNA libraries
PY 1999
1999
1999
2000
2001

L5 ANSWER 84 OF 103 CA COPYRIGHT 2002 ACS
TI Sequence and analysis of the genome of a baculovirus pathogenic for Lymantria dispar
PY 1999

L5 ANSWER 85 OF 103 CA COPYRIGHT 2002 ACS
TI The protein conductin and its application for diagnosis and gene therapy of colon cancer
PY 1999
1999
1999
2000

L5 ANSWER 86 OF 103 CA COPYRIGHT 2002 ACS
TI sequence and therapeutic applications for human Hm74a receptor isoform
PY 1998
1998
2000
2002

L5 ANSWER 87 OF 103 CA COPYRIGHT 2002 ACS
TI Recombinant preparation of carotenoids using enzymes from Flavobacterium or gram-negative bacteria strain E-396 for feed or food industries
PY 1998
1998
2000
1999
2001
1998

L5 ANSWER 88 OF 103 CA COPYRIGHT 2002 ACS
TI Genetic organization and characterization of the mau gene cluster, which concerned the initial step of electron transport chains involved in methylamine oxidation of the obligate methylotroph Methylomonas sp. Strain J
PY 1997

L5 ANSWER 89 OF 103 CA COPYRIGHT 2002 ACS
TI A gene encoding multiple proteins that inhibit MyoD gene function and their role in myogenesis
PY 1998
1999
1998

L5 ANSWER 90 OF 103 CA COPYRIGHT 2002 ACS
TI An affinity-based expression cloning method for identifying eukaryotic tyrosine kinases and novel target proteins
PY 1997
1995
1997
1995
1995
1995
1997
1999

L5 ANSWER 91 OF 103 CA COPYRIGHT 2002 ACS
TI TPO1, a member of a novel protein family, is developmentally regulated in cultured oligodendrocytes
PY 1997

L5 ANSWER 92 OF 103 CA COPYRIGHT 2002 ACS
TI Splicing is required for transactivation by the immediate early gene 1 of the Lymantria dispar multinucleocapsid nuclear polyhedrosis virus
PY 1997

L5 ANSWER 93 OF 103 CA COPYRIGHT 2002 ACS
TI The gene encoding I-mf (Mdfi) maps to human chromosome 6p21 and mouse chromosome 17
PY 1997

L5 ANSWER 94 OF 103 CA COPYRIGHT 2002 ACS
TI Molecular cloning and sequence analysis of a gene encoding rice proteinase inhibitor
PY 1996

L5 ANSWER 95 OF 103 CA COPYRIGHT 2002 ACS
TI The proliferation potential protein-related (P2P-R) gene with domains encoding heterogeneous nuclear ribonucleoprotein association and Rb1 binding shows repressed expression during terminal differentiation
PY 1997

L5 ANSWER 96 OF 103 CA COPYRIGHT 2002 ACS

TI I-mf, a novel myogeneic repressor, interacts with members of the MyoD family
PY 1996

L5 ANSWER 97 OF 103 CA COPYRIGHT 2002 ACS
TI cDNA sequence and chromosomal localization of a novel human protein, RBQ-1 (RBBP6), that binds to the retinoblastoma gene product
PY 1995

L5 ANSWER 98 OF 103 CA COPYRIGHT 2002 ACS
TI An affinity-based expression cloning method for identifying eukaryotic tyrosine kinases and novel target proteins
PY 1995
1997
1995
1997

L5 ANSWER 99 OF 103 CA COPYRIGHT 2002 ACS
TI Cloning, sequence analysis and expression of the cDNA encoding a sodium-dependent phosphate transporter from the bovine renal epithelial cell line NBL-1
PY 1995

L5 ANSWER 100 OF 103 CA COPYRIGHT 2002 ACS
TI Organization of the methylamine utilization (mau) gene in Methylophilus methylotrophus W3A1-NS
PY 1994

L5 ANSWER 101 OF 103 CA COPYRIGHT 2002 ACS
TI Channel catfish virus: a new type of herpesvirus
PY 1992

L5 ANSWER 102 OF 103 CA COPYRIGHT 2002 ACS
TI A cluster of four genes selectively expressed in the male germ line of Drosophila melanogaster
PY 1991

L5 ANSWER 103 OF 103 CA COPYRIGHT 2002 ACS
TI An ultra-high sulfur keratin gene is expressed specifically during hair growth
PY 1989

=> d bib seqhit 69, 77, 86, 89, 91, 94, 95, 103
'SEQHIT' IS NOT A VALID FORMAT FOR FILE 'CA'

The following are valid formats:

ABS --------- GI and AB
ALL --------- BIB, AB, IND, RE
APPS -------- AI, PRAI
BIB --------- AN, plus Bibliographic Data and PI table (default)
CAN --------- List of CA abstract numbers without answer numbers
CBIB -------- AN, plus Compressed Bibliographic Data
DALL -------- ALL, delimited (end of each field identified)
DMAX -------- MAX, delimited for post-processing
FAM --------- AN, PI and PRAI in table, plus Patent Family data
FBIB -------- AN, BIB, plus Patent FAM
IND --------- Indexing data
IPC --------- International Patent Classifications
MAX --------- ALL, plus Patent FAM, RE
PATS -------- PI, SO
SAM --------- CC, SX, TI, ST, IT
SCAN -------- CC, SX, TI, ST, IT (random display, no answer numbers;

SCAN must be entered on the same line as the DISPLAY,
e.g., D SCAN or DISPLAY SCAN)
STD --------- BIB, IPC, and NCL

IABS -------- ABS, indented with text labels
IALL -------- ALL, indented with text labels
IBIB -------- BIB, indented with text labels
IMAX -------- MAX, indented with text labels
ISTD -------- STD, indented with text labels

OBIB -------- AN, plus Bibliographic Data (original)
OIBIB ------- OBIB, indented with text labels

SBIB -------- BIB, no citations
SIBIB ------- IBIB, no citations

HIT --------- Fields containing hit terms
HITIND ------ IC, ICA, ICI, NCL, CC and index field (ST and IT)
containing hit terms
HITRN ------- HIT RN and its text modification
HITSTR ------ HIT RN, its text modification, its CA index name, and
its structure diagram
HITSEQ ------ HIT RN, its text modification, its CA index name, its
structure diagram, plus NTE and SEQ fields
FHITSTR ----- First HIT RN, its text modification, its CA index name, and
its structure diagram
FHITSEQ ----- First HIT RN, its text modification, its CA index name, its
structure diagram, plus NTE and SEQ fields
KWIC -------- Hit term plus 20 words on either side
OCC --------- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST; TI,IND; TI,SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number.
ENTER DISPLAY FORMAT (BIB):bib hitseq

L5 ANSWER 69 OF 103 CA COPYRIGHT 2002 ACS
AN 132:204084 CA
TI Protein and cDNA sequences encoding YAP (Yes-associated protein) which binds to the SH3 domain of Yes kinase
IN Sudol, Marius; Bork, Peer; Chen, Henry
PA The Rockefeller University, USA; The Max Delbrveck Center for Molecular Medicine
SO U.S., 75 pp., Cont.-in-part of U.S. Ser. No. 348,518.
CODEN: USXXAM
DT Patent
LA English
FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 6034212	A	20000307	US 1995-476509	19950607
	US 6022740	A	20000208	US 1994-348518	19941201
	WO 9617061	A1	19960606	WO 1995-US15512	19951130
	W: JP				
	RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
PRAI	US 1994-348518		19941201		
	US 1995-476509		19950607		

IT **260546-39-2**
RL: PRP (Properties)
(unclaimed protein sequence; protein and cDNA sequences encoding YAP (Yes-assocd. protein) which binds to the SH3 domain of Yes kinase)
RN 260546-39-2 CA
CN 35: PN: US6034212 SEQID: 46 unclaimed protein (9CI) (CA INDEX NAME)

SEQ 1 TACGTCGGAT CCGGCACACC GCCACCTCCT TACACTGTGG GCCGAATTCG
51 TCTGC

RE.CNT 33 THERE ARE 33 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 77 OF 103 CA COPYRIGHT 2002 ACS
AN 131:282417 CA
TI Control of floral induction in plants with maize Id gene and methods for identification of zinc-finger proteins and producing alternative alleles
IN Colasanti, Joseph J.; Sundaresan, Venkatesan
PA Cold Spring Harbor Laboratory, USA
SO PCT Int. Appl., 81 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9951728	A2	19991014	WO 1999-US7157	19990331
	WO 9951728	A3	19991118		
	W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
	CA 2214500	AA	19961031	CA 1996-2214500	19960315
	WO 9634088	A2	19961031	WO 1996-US3466	19960315
	WO 9634088	A3	19970109		
	W: CA, JP, MX, US				
	RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	EP 815250	A2	19980107	EP 1996-929646	19960315
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
	JP 11504202	T2	19990420	JP 1996-527888	19960315
	US 6177614	B1	20010123	US 1998-56226	19980407
	CA 2325352	AA	19991014	CA 1999-2325352	19990331
	AU 9934610	A1	19991025	AU 1999-34610	19990331
	EP 1068325	A2	20010117	EP 1999-916255	19990331
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
PRAI	US 1998-56226	A1	19980407		
	US 1995-406186	A	19950316		
	WO 1996-US3466	W	19960315		
	US 1997-814104	B2	19970220		
	US 1997-640	A2	19971230		
	WO 1999-US7157	W	19990331		

IT **246036-79-3**, PN: WO9951728 SEQID: 4 unclaimed protein
RL: PRP (Properties)
(unclaimed protein sequence; control of floral induction in plants with maize Id gene and methods for identification of zinc-finger proteins

and producing alternative alleles)
RN 246036-79-3 CA
CN PN: WO9951728 SEQID: 4 unclaimed protein (9CI) (CA INDEX NAME)

SEQ
1 GAGCTCTGGG GGACTTGACT GGGATCAAGA AGCACTTCTC GCGGAAGCAC
51 GGGGAGAAGC GGTGGTGCTG CGAGCGCTGC GGGAAGCGCT ACGCCGTGCA
101 GTCGGACTGG AAGGCGCACG TCAAGGGGTG TGGCACGCGC GAGTACCGCT
151 GCGACTGCGG CATCCTCTTC TCCAGGTACA TCTCATCTCA TGATCACCGT
201 GCACATATGC ATGGACGACG TGTGCTTTGC TGTAATTGTA AACGCTGATC
251 ATTTTTACTA ACAACCATGC TGGATATAAT AGCCTAATCT CTCACCGGAC
301 GGATCGAGAG AAAACCTAGC TAGACGGGAT CGATCGGTCC AGCAGGTTGC
351 CGCCGACGAC TGTTCCATCG ATCGAGCCTG TTAATTTAGT CATAAAAAGG
401 ATCGAGCATA TGCAT

L5 ANSWER 86 OF 103 CA COPYRIGHT 2002 ACS
AN 130:62689 CA
TI sequence and therapeutic applications for human Hm74a receptor isoform
IN Elshourbagy, Nabil A.; Li, Xiaotong; Bergsma, Derk J.; Mooney, Jeffrey L.; Guerrera, Stephanie F.
PA Smithkline Beecham Corporation, USA
SO PCT Int. Appl., 40 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9856820	A1	19981217	WO 1998-US12386	19980612
	W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
	AU 9879660	A1	19981230	AU 1998-79660	19980612
	EP 1007563	A1	20000614	EP 1998-930215	19980612
	R: BE, CH, DE, DK, FR, GB, IT, LI, NL				
	JP 2002508660	T2	20020319	JP 1999-503319	19980612
PRAI	US 1997-49480P	P	19970612		
	WO 1998-US12386	W	19980612		

IT **217945-23-8**
RL: BSU (Biological study, unclassified); PRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(nucleotide sequence; sequence and therapeutic applications for human Hm74a receptor isoform)
RN 217945-23-8 CA
CN DNA (human clone HM74a G protein-coupled receptor cDNA plus flanks) (9CI) (CA INDEX NAME)

SEQ
1 CGCCACTTTG CTGGAGCATT CACTAGGCGA GGCGCTCCAT CGGACTCACT
51 AGCCGCACTC ATGAATCGGC ACCATCTGCA GGATCACTTT CTGGAAATAG
101 ACAAGAAGAA CTGCTGTGTG TTCCGAGATG ACTTCATTGC CAAGGTGTTG
151 CCGCCGGTGT TGGGGCTGGA GTTTATCTTT GGGCTTCTGG GCAATGGCCT
201 TGCCCTGTGG ATTTTCTGTT TCCACCTCAA GTCCTGGAAA TCCAGCCGGA
251 TTTTCCTGTT CAACCTGGCA GTAGCTGACT TTCTACTGAT CATCTGCCTG
301 CCGTTCGTGA TGGACTACTA TGTGCGGCGT TCAGACTGGA ACTTTGGGGA
351 CATCCCTTGC CGGCTGGTGC TCTTCATGTT TGCCATGAAC CGCCAGGGCA
401 GCATCATCTT CCTCACGGTG GTGGCGGTAG ACAGGTATTT CCGGGTGGTC

401 CAAGATAAGA ATTCC

L5 ANSWER 95 OF 103 CA COPYRIGHT 2002 ACS
AN 126:196067 CA
TI The proliferation potential protein-related (P2P-R) gene with domains encoding heterogeneous nuclear ribonucleoprotein association and Rb1 binding shows repressed expression during terminal differentiation
AU Witte, Michael M.; Scott, Robert E.
CS Dep. Pathology, Univ. Tennessee Med. Center, Memphis, TN, 38163, USA
SO Proc. Natl. Acad. Sci. U. S. A. (1997), 94(4), 1212-1217
CODEN: PNASA6; ISSN: 0027-8424
PB National Academy of Sciences
DT Journal
LA English
IT **187888-98-8**
RL: PRP (Properties)
(amino acid sequence; P2P-related gene with domains encoding hnRNP and Rb1 binding shows repressed expression during terminal differentiation)
RN 187888-98-8 CA
CN Protein (mouse proliferation potential-related) (9CI) (CA INDEX NAME)

SEQ
1 MMEVKDPNMK GAMLTNTGKY AIPTIDAEAY AIGKKEKPPF LPEEPSSSSE
51 EDDPIPAELL CLICKDIMTD AVVIPCCGNS SCDECIRTTL LESDKHTCPT
101 CHQNDVSPDA LIANKFLRQA VNNFKNETGY TKRLRKQLPP FLFLVPPPRP
151 LSQRNLQPRS RSPILRQQDP VVFRYTVSPT CSDTKTAGSC SDSGTLSRLP
201 APSISSLTSN QSSLAPPVSG NPSSAPAPVP DITATVSISV HSEKSDGPFR
251 DSDNKLLPAA ALTSEHSKGA SSIAITALME EKGVPGTSPW NSIFVGQSLL
301 HGQLIPTTGP VRINAARPGG GRPGWEHSNK LGYLVSPPQQ IRRGERSCYR
351 SINRGRHHSE RSQRTQSPSL PATPCFVPVP PPPLYPPPPH TLPLPPGVPP
401 PQFSPQFPSS QPPTAGYSVP PPGFPPAPAN ISTACFSPGV PTAHSNTMPT
451 TQAPLLSREE FYREQNDKGR ESKFPYSGSS YSRSSYTDSS QGLAQHIHAL
501 TLSPSAAHTL DLLHDHPHPP EEAEARSAMI VHMPDLMDIA HARSRSPPYR
551 RYRSRSRSPP EFRGQSPTKR NVPREEKERE YFNRYREVPP PYDIKAYYGR
601 SVDFRDPFEK ERYREWERKY REWYEKYYKG YAVGAQPRPS ANREDFSPER
651 LLPLNIRNSP FTRGRREDYA AGQSHRNRNL GGNYPEKLST RDSHNAKDNP
701 KSKEKESENV PGDGKGNKHK KHRKRRNEEK GEESESFLNP ELLETSRKCR
751 GSSGIDETKT DTLFVLPSRD DATPVRDEPM DAESITFKSV SDKDKREKDK
801 PKVKSDKTKR KSDGSATAKK DNVLKPSKGP QEKVDGDREK SPRSEPPLKK
851 AKEEATKIDS VKPSSSSQKD EKVTGTPRKA HSKSAKDTRR QSQPRTRRSK
901 RTVPKTSSQK SQPVRTRRPR SLRKINYLIA REKNEREKRK KSVDKDFESS
951 SMKISKVEGT EIVKPSPKRK MEGDVEKLER TPEKDKIASS TTPAKKIKLN
1001 RETGKKIGNA ENASTTKEPS EKLESTSSKI KQEKVKGKAK RKVAGSEGSS
1051 STLVDYTSTS STGGSPVRKS EEKTDTKRTV IKTMEEYNND NTAPAEDVII
1101 MIQVPQSKWD KDDFESEEED VKTTQPIQSV GKPSSIIKNV TTKPSATAKY
1151 TEKESEQPEK LQKLPKEASH ELMQHELRSS KGSASSEKGR AKDREHSGSE
1201 KDNPDKRKSG AQPDKESTVD RLSEQGHFKT LSQSSKETRT SEKHESVRGS
1251 SNKDFTPGRD KKVDYDSRDY SSSKRRDERG ELARRKDSPP RGKESLSGQK
1301 SKLREERDLP KKGAESKKSN SSPPRDKKPH DHKAPYETKR PCEETKPVDK
1351 NSGKEREKHA AEARNGKESS GANCHVYLTR QTLPWRRSWL LGRWRRAPSS
1401 RNPS

L5 ANSWER 103 OF 103 CA COPYRIGHT 2002 ACS
AN 111:147691 CA
TI An ultra-high sulfur keratin gene is expressed specifically during hair growth
AU McNab, Alistair R.; Wood, Linda; Theriault, Nicole; Gierman, Todd; Vogeli, Gabriel
CS Upjohn Co., Kalamazoo, MI, 49001, USA
SO J. Invest. Dermatol. (1989), 92(2), 263-6

TI TPO1, a member of a novel protein family, is developmentally regulated in cultured oligodendrocytes
AU Krueger, W. H. H.; Gunve, G. E.; Madison, D. L.; Murrav, K. E.; Kumar, M.; Spoerel, N.; Pfeiffer, S. E.
CS Department of Microbiology, University of Connecticut School of Medicine, Farmington, CT, 06030-3205, USA
SO J. Neurochem. (1997), 69(4), 1343-1355
CODEN: JONRA9; ISSN: 0022-3042
PB Lippincott-Raven
DT Journal
LA English
IT **197665-84-2**
RL: BOC (Biological occurrence); PRP (Properties); BIOL (Biological study); OCCU (Occurrence)
(amino acid sequence; TPO1, a member of a novel protein family, is developmentally regulated in cultured oligodendrocytes)
RN 197665-84-2 CA
CN Protein TPO1 (rat strain Sprague-Dawley telencephalon isoform TPO1.1) (9CI) (CA INDEX NAME)

SEQ
```
  1 MSARCCAGQL ACCCGSAGCA LCCGCCPKFR QSRSTRFMYL FYFTLVIIPC
 51 CVMMSPSVMK QMTEHIPFFE DFCKGIKAGD TCENLVGYSA VYRVCFGMAC
101 FFFVFCVLTF KVNNSKSCRA SIHNGFWFFK LLLLGAMCSG AFFIPDQETF
151 LNVWRYVGAV GSFFFICIQL LLIVEFAHKW NKNWTAGTVR NKLWYASLSL
201 ALIMYSIAVG GLALMAVFYT QWDDCMDNKI LLGVHGGLCV LISLAAISPC
251 VQNRQPHSGL LQPGLISCYV TYLTFSALTS KPEKVVKDEH GKNVTICVPD
301 FGQDFRRDES MVTWLGTLLL VVCISYSCLT STTRSSSDAL QRRYGAPELE
351 VARCCFCFGP DGEDTEEQQN VKEGPRVIYD EKKGTVYSYS YFHFVLLLAS
401 LYVMMTLTSW FHYENATIET FFVGSWSIFW VKMASCWMCV LLYLWTLVAP
451 LCCPSRQFSV
```

L5 ANSWER 94 OF 103 CA COPYRIGHT 2002 ACS
AN 126:273049 CA
TI Molecular cloning and sequence analysis of a gene encoding rice proteinase inhibitor
AU Xie, Ming; Chen, Xin; Qu, Lijia; Liu, Hong; Gu, Hongya; Chen, Zhanliang
CS State Key Lab. Protein Engineering & Plant Genetic Engineering, Beijing Univ., Beijing, 100871, Peop. Rep. China
SO Zhiwu Xuebao (1996), 38(6), 444-450
CODEN: CHWHAY; ISSN: 0577-7496
PB Kexue
DT Journal
LA Chinese
IT **188900-56-3**
RL: BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study)
(nucleotide sequence; cloning and sequencing of rice Bowman-Birk proteinase inhibitor gene RBBI)
RN 188900-56-3 CA
CN DNA (Oryza sativa japonica strain Zhonghua-8 Bowman-Birk proteinase inhibitor gene RBBI plus flanks) (9CI) (CA INDEX NAME)

SEQ
```
  1 CCATCGATGG AGAGGCCATG GAAGTGCTGC GACAACATCG AGCGGCTGCC
 51 GACGAAGACC AACCCGCCGC AGTGGCGCTG CAACGACGAG CTGGAGCCCA
101 GCAAGTGCGT GGCACAGTGC GAGGTGTGCC AGGAGGCGCC GGGGCCATTC
151 CCGGGCCCGC TGATGTGCAG CGACGTGTAC TGGGGCGCCG ACCCGGGTCC
201 CTTCTGCACG CCGCGGCCGT GGGGATATTG CTGCACCAAC ACCACCTGCA
251 CCAGGTCGAT CCCGCCGATC TGCCGCTGCA ACGACAAGGT GAAGAAGTGC
301 GCCGCCGCGC GCAAGGATTG CAAGCGGGTG AAGTCGTCAA AGCCTCCTCG
351 CTACGTCTGC CAGGACCAGT TCACCGGCCA GCCAGGGCCC GTCTGCAAGC
```

```
 451 CATCCCCACC ACGCCCTGAA CAAGATCTCC AATTGGACAG CAGCCATCAT
 501 CTCTTGCCTT CTGTGGGGCA TCACTGTTGG CCTAACAGTC CACCTCCTGA
 551 AGAAGAAGTT GCTGATCCAG AATGGCCCTG CAAATGTGTG CATCAGCTTC
 601 AGCATCTGCC ATACCTTCCG GTGGCACGAA GCTATGTTCC TCCTGGAGTT
 651 CCTCCTGCCC CTGGGCATCA TCCTGTTCTG CTCAGCCAGA ATTATCTGGA
 701 GCCTGCGGCA GAGACAAATG GACCGGCATG CCAAGATCAA GAGAGCCATC
 751 ACCTTCATCA TGGTGGTGGC CATCGTCTTT GTCATCTGCT TCCTTCCCAG
 801 CGTGGTTGTG CGGATCCGCA TCTTCTGGCT CCTGCACACT TCGGGCACGC
 851 AGAATTGTGA AGTGTACCGC TCGGTGGACC TGGCGTTCTT TATCACTCTC
 901 AGCTTCACCT ACATGAACAG CATGCTGGAC CCCGTGGTGT ACTACTTCTC
 951 CAGCCCATCC TTTCCCAACT TCTTCTCCAC TTTGATCAAC CGCTGCCTCC
1001 AGAGGAAGAT GACAGGTGAG CCAGATAATA ACCGCAGCAC GAGCGTCGAG
1051 CTCACAGGGG ACCCCAACAA AACCAGAGGC GCTCCAGAGG CGTTAATGGC
1101 CAACTCCGGT GAGCCATGGA GCCCCTCTTA TCTGGGCCCA ACCTCAAATA
1151 ACCATTCCAA GAAGGGACAT TGTCACCAAG AACCAGCATC TCTGGAGAAA
1201 CAGTTGGGCT GTTGCATCGA GTAATGTCAC TGGACTCGGC CTAAGGTTTC
1251 CTGGAACTTC CAGATTCAGA GAATCTGATT TAGGGAAACT GTGGCAGATG
1301 AGTGGGAGAC TGGTTGCAAG GTGTGACCAC AGGAATCCTG GAGGAACAGA
1351 GAGTAAAGCT
```

RE.CNT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 89 OF 103 CA COPYRIGHT 2002 ACS
AN 128:229001 CA
TI A gene encoding multiple proteins that inhibit MyoD gene function and their role in myogenesis
IN Chen, C. M. Amy; Kraut, Norbert; Groudine, Mark
PA Fred Hutchinson Cancer Research Center, USA
SO PCT Int. Appl., 92 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9808860	A1	19980305	WO 1997-US14780	19970821
	W: AU, CA, JP				
	RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	US 5885797	A	19990323	US 1996-704931	19960827
	AU 9740826	A1	19980319	AU 1997-40826	19970821
PRAI	US 1996-704931		19960827		
	WO 1997-US14780		19970821		

IT **183511-66-2**
RL: BPR (Biological process); BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study); PROC (Process)
(amino acid sequence; gene encoding multiple proteins that inhibit MyoD gene function and their role in myogenesis)
RN 183511-66-2 CA
CN Transcription factor I-mf (mouse clone I-mfa isoform) (9CI) (CA INDEX NAME)

```
SEQ    1 MSQVSGQCPS RCDAPHGVPS AALDPAQTMS LLPGLEVARS THPVEASSEE
      51 GFPEEAAPSM PHDSGLRAQQ ALNSIDLDVP TEAVTCQPQG NPQGCTPLLP
     101 NGSSHDHLSE PGSAGHAGNG ALGGSKAHRK LQTHPSLGSQ AGRKSRGSAR
     151 SASQVPLQAQ EDCCVHCILS CLFCEFLTLC NILLDCATCG SCSSEDSCLC
     201 CCCCGSGECA DCDLPCDLDC GIVDACCESA DCLEICMECC GLCFSS
```

L5 ANSWER 91 OF 103 CA COPYRIGHT 2002 ACS
AN 127:315964 CA

```
     CODEN: JIDEAE; ISSN: 0022-202X
DT   Journal
LA   English
IT   122878-84-6, Keratin (mouse clone gUHSK-70Eco-pUC reduced)
     RL: PRP (Properties)
        (amino acid sequence of)
RN   122878-84-6  CA
CN   Keratin (mouse clone gUHSK-70Eco-pUC reduced) (9CI)  (CA INDEX NAME)


SEQ      1 MTNSCCSPCC QPTCCRTTCC RTTCWRPSCV TSCCQPCCQP SCCGSSCCQP
        51 CCQTTCCRTC FQPCCVSSCC RTPCCQPCCC VSSCCQPCCQ PSCCQSSCCQ
       101 PRCCESSCCQ PRCCISSCCQ PCCRPSCCQS SCCRPCCQPF CLNLCCQPAC
       151 SGPVTCTRTC YQPTCVCVPG CLSQGCGSSC CEPCGC



=>

=> save
ENTER L#, L# RANGE, ALL, OR (END):all
ENTER NAME OR (END):mar1
MAR1 IS NOT A VALID SAVED NAME
Enter the name you wish to use for the saved query,
answer set, or L-number list.  The name must:
  1. Begin with a letter,
  2. Have 1-12 characters,
  3. Contain only letters (A-Z) and numbers (0-9),
  4. End with /Q for a query (search profile,
     structure, or screen set), /A for an answer
     set, or /L for an L-number list.
  5. Not already be in use as a saved name,
  6. Not be END, SAV, SAVE, SAVED
  7. Not have the form of an L-number (Lnnn).
ENTER NAME OR (END):mar1/a
'MAR1/A' IS NOT ALLOWED WITH ALL
The saved name of an L# list must end with '/L'.

=> ds
DS IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).

=> d his

     (FILE 'HOME' ENTERED AT 09:30:42 ON 18 MAY 2002)

     FILE 'REGISTRY' ENTERED AT 09:30:55 ON 18 MAY 2002
L1           199 S CCG...C..C/SQSP
L2            14 S GVCCG..LCH.C/SQSP

     FILE 'CA' ENTERED AT 09:32:48 ON 18 MAY 2002
L3           108 S L1
L4             5 S L2
L5           103 S L3 NOT L4

=> save l5
ENTER NAME OR (END):mar1/a
ANSWER SET L5 HAS BEEN SAVED AS 'MAR1/A'

=> logoff
ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
```